



ioSearch Configuration Utility Release Notes

Version: v2.0	Build: Build17111410
Release Date: Jan 16, 2018	

Applicable Products

ioLogik E1500 Series, ioLogik E1200 Series, ioLogik R1200 Series, ioLogik E1200W Series, ioLogik E1200H Series

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

- Changed EtherNet/IP per unit licensing policy to one unit/license file only policy.

Enhancements

- Revised help file including RESTful API and EtherNet/IP.

Bugs Fixed

N/A

Changes

N/A

Notes

- When updating firmware version V3.0 or higher, use ioSearch V2.0 or higher version to upgrade.



Version: v1.15	Build: Build16091417
Release Date: N/A	

Applicable Products

ioLogik E1200 Series, ioLogik R1200 Series, ioLogik E1500 Series, ioLogik E1200W Series, ioLogik E1200H Series

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

- Support EtherNet/IP activation function for the ioLogik E1200 series.
- Added Help file.

Enhancements

N/A

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v1.14	Build: Build16012114
Release Date: N/A	

Applicable Products

ioLogik E1200 Series, ioLogik R1200 Series, ioLogik E1500 Series, ioLogik E1200W Series, ioLogik E1200H Series

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012

New Features

- ioLogik E1261W-T, ioLogik E1261-WP-T, ioLogik E1261H-T, ioLogik E1263H-T are supported.

Enhancements

- Added 4-20 mA mode (raw data: 0-65535) for ioLogik R1240 analog input channel.

Bugs Fixed

- Fixed ioLogik R1241 AO raw data from 0-65535 to 0-4095.

Changes

N/A

Notes

- Use ioSearch V1.12 to update ioLogik R1241 firmware from V1.0/V1.1 to V1.2. .
- DO NOT use ioSearch V1.14 or later to configure ioLogik R1241 with V1.0/V1.1 firmware.



Version: v1.12	Build: Build14041118
Release Date: N/A	

Applicable Products

ioLogik E1200 Series, ioLogik R1200 Series, ioLogik E1500 Series

Supported Operating Systems

Windows 2000, Windows XP

New Features

N/A

Enhancements

- Support MOXA green core design .

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v1.10	Build: Build13032918
Release Date: N/A	

Applicable Products

ioLogik E1200 Series, ioLogik R1200 Series, ioLogik E1500 Series

Supported Operating Systems

Windows 2000, Windows XP

New Features

• ioLogik R1210(-T), ioLogik R1212(-T), ioLogik R1214(-T), ioLogik R1240(-T), ioLogik R1241(-T) are supported.

Enhancements

N/A

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v1.8	Build: Build12080118
Release Date: N/A	

Applicable Products

ioLogik E1200 Series, ioLogik E1500 Series

Supported Operating Systems

Windows 2000, Windows XP

New Features

- ioLogik E1510-M12-T, ioLogik E1512-M12-T are supported .

Enhancements

N/A

Bugs Fixed

N/A

Changes

N/A

Notes

N/A



Version: v1.6	Build: Build11112811
Release Date: N/A	

Applicable Products

ioLogik E1200 Series

Supported Operating Systems

Windows 2000, Windows XP

New Features

N/A

Enhancements

N/A

Bugs Fixed

- The Netmask cannot be 255.0.0.0.

Changes

N/A

Notes

N/A



Version: v1.5	Build: Build11090818
Release Date: N/A	

Applicable Products

ioLogik E1200 Series

Supported Operating Systems

Windows 2000, Windows XP

New Features

N/A

Enhancements

- Support modifying IP, Gateway, Subnet Mask or Server name for a batch of same models.
- Support simultaneously upgrading different models' firmware.
- Support searching devices by keyword of the server name.
- Support import/export device.

Bugs Fixed

N/A

Changes

N/A

Notes

N/A