

MX-AOPC UA Server Release Notes

Version: v1.6 Build: Build: Build17051914

Release Date: Jun 15, 2017

Applicable Products

ioLogik 2500 Series, ioLogik E1200 Series, ioLogik E1500 Series, ioLogik E2200 Series, ioLogik E4200. ioLogik W5340-HSPA Series

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows Server 2012 R2

New Features

- Link to .NET Framework's download URL.
- Added license.moxa.com in the expiration warning message.
- Added Device Timestamp (UTC+T.Z.) column in Viewer.

Enhancements

N/A

Bugs Fixed

- Fixed unable to recognize network adapters setting as teaming mode.
- Fixed unable to trigger "Update Configuration to Server" button after modifying the Modbus/TCP Tag property.

Changes

N/A

Notes



Version: v1.5 Build: Build16082218

Release Date: N/A

Applicable Products

ioLogik 2500 Series, ioLogik E1200 Series, ioLogik E1500 Series, ioLogik E2200 Series, ioLogik E4200, ioLogik W5340-HSPA Series

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows Server 2012 R2

New Features

N/A

Enhancements

N/A

Bugs Fixed

- Fixed all tags of ioLogik E1200 series are updated at the same time when on change mode of all tags is enabled.
- Fixed wrong time zone issue when the tags of ioLogik E1200 series are created on the server at the first time.

Changes

N/A

Notes



Version: v1.4 Build: Bu

Release Date: N/A

Applicable Products

ioLogik 2500 Series, ioLogik E1200 Series, ioLogik E1500 Series, ioLogik E2200 Series, ioLogik E4200, ioLogik W5340-HSPA Series

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows Server 2012 R2

New Features

- Support MX-AOPC UA Logger.
- Removed supporting anonymous type connection with OPC UA client for security improvement.

Enhancements

N/A

Bugs Fixed

- Fixed signed integer data type tag became unknown data type after executing refresh function on Viewer.
- Fixed string type internal register tag caused Viewer freeze.
- Fixed OPC UA client did not show device disconnection status when device did not connect to MX-AOPC UA Server.
- Fixed monitored items without source timestamp and status code.
- Fixed wrong sampling Interval caused OPC UA client unable to receive tag update notifications.
- Fixed OPC UA client cannot connect to MX-AOPC UA Server unless CA is trusted when security policy was set to NONE.
- Fixed OPC UA client still can read tag value when tag quality is in disconnect status.
- Fixed unable to click "Close" button of Certificate Management dialog on Windows 7 English version and Windows 8 platform.
- Fixed wrong RTD tag value for the ioLogik E4200 and M-6200.
- Fixed wrong time zone offset when Device time zone is set to (GMT+12)Fiji, Kamchat.

Changes

N/A

Notes



Version: v1.3 Build: Build: Build: 5090819

Release Date: N/A

Applicable Products

ioLogik 2500 Series, ioLogik E1200 Series, ioLogik E1500 Series, ioLogik E2200 Series, ioLogik E4200, ioLogik W5340-HSPA Series

Supported Operating Systems

Windows 10, Windows 7, Windows 8, Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows Server 2012 R2

New Features

- First release for ioLogik 2500-WL1 series.
- Add "De-active License" function.

Enhancements

N/A

Bugs Fixed

N/A

Changes

N/A

Notes