



## Firmware for ioThinX 4510 Series Release Notes

<b>Version: v1.2.0</b>	<b>Build: Build19100916</b>
<b>Release Date: Oct 31, 2019</b>	

### Applicable Products

ioThinX 4510 (-T)

### Supported Operating Systems

N/A

### New Features

- Added support for the 45MR-4420(-T) module.
- Added support for SNMP Trap and SNMP Inform.

### Enhancements

- SNMPv3 supports SHA-2 algorithm for data encryption.

### Bugs Fixed

- SNMPv1 and SNMPv2c still work when SNMP is set to "v3 only".
- The connection list is blank when the user checks the connection list via the web service.

### Changes

- IT protocols (RESTful API, MQTT, SNMP) cannot be used at the same time due to product limitations.

### Notes

N/A



<b>Version: v1.1.0</b>	<b>Build: Build19043017</b>
<b>Release Date: Jun 05, 2019</b>	

### **Applicable Products**

ioThinx 4510 (-T)

### **Supported Operating Systems**

N/A

### **New Features**

- Supports MQTT clients.
- Supports web service via https.
- Supports RESTful API via https.
- Supports MXIO library.
- Supports the 45MR-7210 power module.
- Supports mass deployment to multiple ioThinx 4510 Series devices. The following functions are supported: Change IP Address, Change Device Name, Retrieve System Log, and Get Certificate from Device.

### **Enhancements**

- Security enhancement: Add system logs.
- RTD channels support the calibration function.
- Any AI, RTD, or TC channel can be disabled. You no longer need to disable channels starting from the last channel.

### **Bugs Fixed**

N/A

### **Changes**

N/A

### **Notes**

N/A



<b>Version: v1.0</b>	<b>Build: Build18112118</b>
<b>Release Date: Nov 28, 2018</b>	

**Applicable Products**

ioThinx 4510 series

**Supported Operating Systems**

N/A

**New Features**

First release

**Enhancements**

N/A

**Bugs Fixed**

N/A

**Changes**

N/A

**Notes**

N/A