

串列纜線

串列連接纜線

特色與優點

- 延伸串列訊號的傳輸距離



簡介


Moxa 的串列纜線可延伸多埠串列卡的傳輸距離。其也可用於擴充其他串列連線的COM連接埠。

接腳安排


CBL-M44M9x4-50




RS-232



RS-422/RS-485-4w




RS-485-2w




CBL-M44M25x4-50




RS-232




RS-422/RS-485-4w




RS-485-2w




CBL-RJ45F9-150




CBL-RJ45M25-150




CBL-RJ45F9-150




CBL-RJ45M25-150




CBL-RJ45M9-150




CBL-RJ45SF25-150




CBL-RJ45SF9-150




CBL-RJ45SM25-150




CBL-RJ45SM9-150




CN20030




CN20040



CN20060




CN-20070




CBL-RJ458P-Cisco-BK-180



RS-232



Cisco Console



規格

Connector

Board-side Connector	CBL-F9M9-20: DB9 (female) x 1 CBL-F9M9-150: DB9 (female) x 1 CBL-HSF2x10-15: 20-pin (female) x 1 CBL-M9HSF1x10H-15-01: 10-pin (female) x 1 CBL-M9HSF1x10H-15-02: 10-pin (female) x 1 CBL-M9x2HSF2x10H-15: 20-pin (female) x 1 CBL-M25M9x2-50: DB25 (male) x 1 CBL-M44M25x4-50: DB44 (male) x 1 CBL-M44M9x4-50: DB44 (male) x 1 CBL-M62M25x8-100: DB62 (male) x 1 CBL-M62M9x8-100: DB62 (male) x 1 CBL-M68M25x8-100: VHDCI 68 x 1 CBL-M68M9x8-100: VHDCI 68 x 1 CBL-M78M25x8-100: DB78 (male) x 1 CBL-M78M9x8-100: DB78 (male) x 1 CBL-RJ45F9-150: 8-pin RJ45 x 1 CBL-RJ45F25-150: 8-pin RJ45 x 1 CBL-RJ45M9-150: 8-pin RJ45 x 1 CBL-RJ45M25-150: 8-pin RJ45 x 1 CBL-RJ45SF9-150: 8-pin RJ45 x 1 CBL-RJ45SF25-150: 8-pin RJ45 x 1 CBL-RJ45SM9-150: 8-pin RJ45 x 1 CBL-RJ45SM25-150: 8-pin RJ45 x 1 CBL-RJ458P-Cisco-BK-180: 8-pin RJ45 x 1 CBL-USBAP-50: USB Type A x 1 CN20030: 10-pin RJ45 x 1 CN20040: 10-pin RJ45 x 1 CN20060: 10-pin RJ45 x 1 CN20070: 10-pin RJ45 x 1 NP21101: DB25 (male) x 1 NP21102: DB25 (male) x 1 NP21103: DB25 (male) x 1
Device-side Connector	CBL-F9M9-20: DB9 (male) x 1 CBL-F9M9-150: DB9 (male) x 1 CBL-HSF2x10-15: 20-pin (female) x 1 CBL-M9HSF1x10H-15-01: DB9 male x 1 CBL-M9HSF1x10H-15-02: DB9 male x 1 CBL-M9x2HSF2x10H-15: DB9 male x 2 CBL-M25M9x2-50: DB9 (male) x 2 CBL-M44M25x4-50: DB25 (male) x 4 CBL-M44M9x4-50: DB9 (male) x 4 CBL-M62M25x8-100: DB25 (male) x 8 CBL-M62M9x8-100: DB9 (male) x 8 CBL-M68M25x8-100: DB25 (male) x 8 CBL-M68M9x8-100: DB9 (male) x 8 CBL-M78M25x8-100: DB25 (male) x 8 CBL-M78M9x8-100: DB9 (male) x 8 CBL-RJ45F9-150: DB9 (female) x 1 CBL-RJ45F25-150: DB25 (female) x 1 CBL-RJ45M9-150: DB9 (male) x 1 CBL-RJ45M25-150: DB25 (male) x 1 CBL-RJ45SF9-150: DB9 (female) x 1 CBL-RJ45SF25-150: DB25 (female) x 1 CBL-RJ45SM9-150: DB9 (male) x 1 CBL-RJ45SM25-150: DB25 (male) x 1 CBL-RJ458P-Cisco-BK-180: 8-pin RJ45 x 1 CBL-USBAP-50: DC Jack x 1 CN20030: DB25 (female) x 1 CN20040: DB25 (male) x 1 CN20060: DB9 (male) x 1 CN20070: DB9 (female) x 1 NP21101: DB9 (female) x 1 NP21102: DB9 (male) x 1 NP21103: Terminal block x 1

Physical Characteristics

Cable Length	CBL-F9M9-20: 20 cm (7.87 in) CBL-F9M9-150: 150 cm (4.9 ft) CBL-HSF2x10-15: 15 cm (0.49 ft) CBL-M9HSF1x10H-15-01: 15 cm (0.49 ft) CBL-M9HSF1x10H-15-02: 15 cm (0.49 ft) CBL-M9x2HSF2x10H-15: 15 cm (0.49 ft) CBL-M25M9x2-50: 50 cm (19.69 in) CBL-M44M9x4-50: 50 cm (19.69 in) CBL-M44M25x4-50: 50 cm (19.69 in) CBL-M62M9x8-100: 100 cm (3.3 ft) CBL-M62M25x8-100: 100 cm (3.3 ft) CBL-M68M9x8-100: 100 cm (3.3 ft) CBL-M68M25x8-100: 100 cm (3.3 ft) CBL-M78M9x8-100: 100 cm (3.3 ft) CBL-M78M25x8-100: 100 cm (3.3 ft) CBL-RJ45F9-150: 150 cm (4.9 ft) CBL-RJ45F25-150: 150 cm (4.9 ft) CBL-RJ45SM9-150: 150 cm (4.9 ft) CBL-RJ45SM25-150: 150 cm (4.9 ft) CBL-RJ45SF9-150: 150 cm (4.9 ft) CBL-RJ45SF25-150: 150 cm (4.9 ft) CBL-RJ45M9-150: 150 cm (4.9 ft) CBL-RJ45M25-150: 150 cm (4.9 ft) CBL-RJ458P-Cisco-BK-180: 180 cm (5.91 ft) CBL-USBAP-50: 50 cm (19.69 in) CN20030: 150 cm (4.9 ft) CN20040: 150 cm (4.9 ft) CN20060: 150 cm (4.9 ft) CN20070: 150 cm (4.9 ft) NP21101: 30 cm (11.81 in) NP21102: 30 cm (11.81 in)
--------------	---

訂購資訊

Model Name	Board-side Connectors	Device-side Connectors	Cable Length
CBL-F9M9-20	1 x DB9 (female)	1 x DB9 (male)	20 cm (7.87 in)
CBL-F9M9-150	1 x DB9 (female)	1 x DB9 (male)	150 cm (4.9 ft)
CBL-HSF2x10-15	1 x 20-pin housing cable (female)	1 x 20-pin housing cable (female)	15 cm (5.9 in)
CBL-M9HSF1x10H-15-01	1 x 10-pin housing cable (female)	1 x DB9 (male)	15 cm (5.9 in)
CBL-M9HSF1x10H-15-02	1 x 10-pin housing cable (female)	1 x DB9 (male)	15 cm (5.9 in)
CBL-M9x2HSF2x10H-15	1 x 20-pin housing cable (female)	2 x DB9 (male)	15 cm (5.9 in)
CBL-M25M9x2-50	1 x DB25 (male)	2 x DB9 (male)	50 cm (19.69 in)
CBL-M44M25x4-50	1 x DB44 (male)	4 x DB25 (male)	50 cm (19.69 in)
CBL-M44M9x4-50	1 x DB44 (male)	4 x DB9 (male)	50 cm (19.69 in)
CBL-M62M25x8-100	1 x DB62 (male)	8 x DB25 (male)	100 cm (3.3 ft)
CBL-M62M9x8-100	1 x DB62 (male)	8 x DB9 (male)	100 cm (3.3 ft)
CBL-M68M25x8-100	1 x VHDCI 68	8 x DB25 (male)	100 cm (3.3 ft)
CBL-M68M9x8-100	1 x VHDCI 68	8 x DB9 (male)	100 cm (3.3 ft)
CBL-M78M25x8-100	1 x DB78 (male)	8 x DB25 (male)	100 cm (3.3 ft)
CBL-M78M9x8-100	1 x DB78 (male)	8 x DB9 (male)	100 cm (3.3 ft)
CBL-RJ45F9-150	1 x 8-pin RJ45	1 x DB9 (female)	150 cm (4.9 ft)
CBL-RJ45M25-150	1 x 8-pin RJ45	1 x DB25 (male)	150 cm (4.9 ft)
CBL-RJ45M9-150	1 x 8-pin RJ45	1 x DB9 (male)	150 cm (4.9 ft)
CBL-RJ45M25-150	1 x 8-pin RJ45	1 x DB25 (male)	150 cm (4.9 ft)

Model Name	Board-side Connectors	Device-side Connectors	Cable Length
CBL-RJ45SF9-150	1 x 8-pin RJ45	1 x DB9 (male)	150 cm (4.9 ft)
CBL-RJ45SF25-150	1 x 8-pin RJ45	1 x DB25 (male)	150 cm (4.9 ft)
CBL-RJ45SM9-150	1 x 8-pin RJ45	1 x DB9 (male)	150 cm (4.9 ft)
CBL-RJ45SM25-150	1 x 8-pin RJ45	1 x DB25 (male)	150 cm (4.9 ft)
CBL-RJ458P-Cisco-BK-180	1 x 8-pin RJ45	1 x 8-pin RJ45	180 cm (5.9 ft)
CBL-USBAP-50	1 x Type A	1 x DC jack	50 cm (19.69 in)
CN20030	1 x 10-pin RJ45	1 x DB25 (female)	150 cm (4.9 ft)
CN20040	1 x 10-pin RJ45	1 x DB25 (male)	150 cm (4.9 ft)
CN20060	1 x 10-pin RJ45	1 x DB9 (male)	150 cm (4.9 ft)
CN20070	1 x 10-pin RJ45	1 x DB9 (female)	150 cm (4.9 ft)
NP21101	1 x DB25 (male)	1 x DB9 (female)	150 cm (4.9 ft)
NP21102	1 x DB25 (male)	1 x DB9 (male)	150 cm (4.9 ft)
NP21103	1 x DB25 (male)	1 x Terminal block	–

© Moxa Inc. 版權所有.2025 年 7 月 01 日更新。

未經 Moxa Inc. 明確書面許可，不得以任何方式複製或使用本文件及其任何部分。產品規格如有變更，恕不另行通知。請至本公司官網了解最新的產品資訊。